

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION	REPORT OF CERTIFICATION <i>(Fabrication of Single-Service Containers and/or Closures for Milk and/or Milk Products)</i>	FOR FDA USE ONLY				
		1	2	3	4	5

IDENTIFICATION

1. NAME OF SINGLE-SERVICE FABRICATING PLANT Worldwide Dispensers	2. CITY Lester Prairie 55354	3. STATE/COUNTRY Minnesota
4. STREET 78 2nd Avenue South	5. MFG. CODE NO	
		6. CODE
		PRODUCT CODE MATERIAL CODE
7. AGENCY OR SSC, AS APPLICABLE, PROVIDING ROUTINE INSPECTION Minnesota Department of Agriculture		56 57 58 59 60 61 62 9 8 6 2 - 3

7a. RATING/CERTIFICATION PERSONNEL	7b. DATE OF PLANT CERTIFICATION August 8, 2019	7.d. EXPIRATION DATE*					
<input type="checkbox"/> SHD <input type="checkbox"/> Other <input checked="" type="checkbox"/> SDA <input type="checkbox"/> TPC <input type="checkbox"/> SDL <input type="checkbox"/> SSC	7c. SANITATION COMPLIANCE RATING 100%	MONTH		DAY		YEAR	
		67	68	69	70	72	72
		0	8	0	7	20	20

- | | |
|--|--|
| PRODUCT CODE (60)
1. Containers
2. Closures
3. Other products
4. Containers and closures
5. Containers and other products
6. Closures and other products
7. Containers, closures and other products | MATERIAL CODE (62)
1. Metal
2. Paper (Includes laminates)
3. Plastic
4. Metal and paper
5. Metal and plastic
6. Paper and plastic
7. Metal, paper and plastic
8. Glass
9. Rubber
10. Paper, metal, plastic and glass |
|--|--|

*EXPIRATION DATE Certification of single-service manufacturing plants may be valid for a period not to exceed one (1) or two (2) years from the earliest certification date. The expiration date is one (1) or two (2) years from the earliest certification date. NOTE: Certifications conducted by SSCs shall only be valid for a period not to exceed one (1) year from the earliest certification date.	8. SRO OR SSC Joe Dittrich	9. CERTIFICATION RECOMMENDED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
		9a. LISTING TYPE <input type="checkbox"/> FULL <input checked="" type="checkbox"/> PARTIAL

LABORATORY CONTROL

10. NAME AND ADDRESS (OR CODE) OF APPROVED LABORATORY Minnesota Department of Agriculture 625 Robert Street North, St Paul, MN 55155-2538

1	2	3	4	5	6	7	8	9	10	11	12	13 a,b,c,f, g,i,k	14 d,e, h,j	15	16 a	17 b,c	18 a,b, d,e	19 c	20 a,b,f	21 c,d,e	BACTI	COIL

12. PERMISSION TO PUBLISH

Permission is hereby granted to release and publish the above-stated certification for use by Regulatory/Rating Agencies and prospective purchasers.

It is understood and agreed by the undersigned that the official Rating Agency or SSC, as applicable, may review and appraise the single-service fabricating plant at any time during the period of time the above certification is in effect. It is further understood that failure to maintain the above certification will subject this plant to withdrawal from the IMS Listing. We will notify the Rating Agency or SSC, as applicable, of any significant changes made in the operation of this plant.

12.a. NAME OF PLANT Worldwide Dispensers		
12.b. OFFICER AUTHORIZING RELEASE <i>[Signature]</i> 8/12/19	12.c. TITLE <i>Quality Manager</i>	
13. SUBMISSION OF REPORT BY MILK SANITATION RATING AGENCY OR SSC, AS APPLICABLE		
13.a. DATE OF REPORT August 9, 2019	13.b. RECOMMENDED CLASSIFICATION ACCEPTED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	13.c. SUBMITTED BY (Signature and Title) Joe Dittrich Interstate Milk Rating Officer

FOR FDA USE ONLY	
14. DATE RECEIVED	15. PUBLICATION OF RATING RECOMMENDED <input type="checkbox"/> YES <input type="checkbox"/> NO <i>(If "NO", Indicate why.)</i>
16. DATE TRANSMITTED	17. SIGNATURE (FDA Regional Milk Specialist)